গণ্মজাতন্ত্রী বাংলাদেশ সরকার ঔষধ প্রশাসন অধিদপ্তর ভ্ৰম্ম ভবন, মহাখালী, ঢাকা-১২১২ www.dgda.gov.bd

2962/14:04/96-41:00 14:00 20 10 10 10 10 10 10 10 10 10 10 10

তারিখঃ . ১৬ / . ১১ /২০২১

-:অফিস আদেশ:-

্লি প্রমানে অক্টিস্করের মাঠ প্রায়ের সকল কর্মকর্তাদের জানানো যাচ্ছে যে , বিশ্ব স্বাস্থ্য সংস্থা (WHO) সম্প্রতি মেডিক্যাল প্রোডাক্ট এলার্ট NYS 2021- এ এই মর্মে সভর্ক করেছে যে, Pfizer কর্তৃক উৎপাদিত Pfizer-BioNTech COVID-19 Vaccine Falsified হিসেবে ইয়ানের বাজারে পাওয়া যাছে। Falsified Vaccine টির লেবেলে প্রদর্শিত Lot নং EH9899 এবং Exp date 09/2021

Fakified মেডিকাদ গ্রোডার্ক্টের বর্ণনা :

Stated Product Name	Pfizer-BioNTech COVID-19 Vaccine
Stated manufacturer	Pfizer
Stated Lot	EH9899
	09/2021
Stated Explry date	English
Packaging language	
Identified in	Iran (Islamic Republic of)

ক্রেক্সের উপরোক্তিত Pfizer-BioNTech COVID-19 Vaccine টি বাজরে পাওয়া গেলে তা জব্দ করে প্রয়োজনীয় ব্য গ্রহনের জন্য প্রতহারা নিদেশ প্রদান করা হলো।

উপপরিচালক

ঔষধ প্রশাসন অধিদপ্তর ,ঢাকা।
ফোনঃ ০২২২২২-৮০৮০৩
Email:dgda.gov@gmail.com

স্বৃত্তি ০৩ (তিন) পাতা।



Medical Product Alert N°6/2021: Falsified Pfizer-BioNTech COVID-19 Vaccine

Falsified Pfizer-BioNTech COVID-19 Vaccine identified in WHO region of the Eastern Mediterranean

4 November 2021 | Medical product alert | Geneva | Reading time: 2 min (463 words)





<u>Français</u>

<u>Русский</u>

<u>Español</u>

Alert Summary

This WHO Medical Product Alert refers to one lot of falsified Pfizer-BioNTech COVID-19 Vaccine identified in the Islamic Republic of Iran and reported to WHO in October 2021. The genuine manufacturer of Pfizer-BioNTech COVID-19 Vaccine has confirmed that the product listed in this Alert is falsified. The falsified product was reported at the patient level outside authorized and regulated supply chains and authorized vaccination programmes in the Islamic Republic of Iran.

Genuine Pfizer-BioNTech COVID-19 Vaccine is indicated for active immunization to prevent COVID-19 caused by the SARS-CoV-2 virus. The use of genuine COVID-19 vaccines should be in accordance with official guidance from national regulatory authorities.

Falsified COVID-19 vaccines pose a serious risk to global public health and place an additional 11/21, 4:44 PM burden on vulnerable populations and health systems. The risk to patient health from falsified COVID-19 vaccines includes exposure to unknown and unsafe substances as well as delayed immunization against COVID-19 and could be life-threatening in some circumstances. It is important to detect and remove these falsified Pfizer-BioNTech COVID-19 Vaccines from circulation to prevent

- The products identified in this Alert are confirmed as falsified on the basis that they deliberately / fraudulently misrepresent their identity, composition, or source:

 - The product label and artwork are inconsistent with genuine Pfizer-BioNTech COVID-19 Vaccines • The expiry date on the labels (09/2021) is falsified and inconsistent with the expiry date on genuine

Pfizer-BioNTech COVID-19 Vaccine Lot EH9899 .

 The product has The expiry date on the labels (09/2021) to Pfizer-BioNTech COVID-19 Vaccine Lot I Table 1: Falsified Products subject of W 	NHO Medical Product Alert N°6/2021 Pfizer-BioNTech COVID-19 Vaccine	
Stated Product Name Stated manufacturer Stated Lot Stated Expiry date Packaging language Identified in	EH9899 09/2021 English Iran (Islamic Republic of)	
	u tha nublic	

Advice to regulatory authorities and the public WHO requests increased vigilance within the supply chains of countries and regions likely to be affected by these falsified products. Increased vigilance should include hospitals, clinics, health centres, wholesalers, distributors, pharmacies, and any other suppliers of medical products.

All medical products must be obtained from authorized/licensed suppliers. The products' authenticity and physical condition should be carefully checked. Seek advice from a healthcare professional in

If you are in possession of the above-falsified products, please do not use them. case of doubt.

If you have used these products, or you suffered an adverse reaction/event having used these products, you are advised to seek immediate medical advice from a qualified healthcare professional and to report the incident to the National Regulatory Authorities / National Pharmacovigilance Centre.

National regulatory / health authorities are advised to immediately notify WHO if these falsified products are discovered in their country. If you have any information concerning the manufacture, distribution, or supply of these products, please contact rapidalert@who.int

Table 2: Photographs of products subject of WHO Medical Product Alert N°6/2021

Falsified Pfizer-BioNTech COVID-19 Vaccine, Lot EH9899 identified in the Islamic Republic of



WHO Global Surveillance and Monitoring System for Substandard and Falsified Medical

For more information, please visit our website

Email: rapidalert@who.int

Subscribe to our newsletters \rightarrow

3/3